	Application No.	Applicant(s)
Notice of Allowability	10/509,200	SEIDLER ET AL.
	Examiner	Art Unit
	Gary F. Paumen	2833
The MAILING DATE of this communication apperature of the communication appearance of the co	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
1. A This communication is responsive to the election filed 9/15	<u>0/06</u> .	
2. ☑ The allowed claim(s) is/are <u>1-10</u> . ✓		
3. ☑ Acknowledgment is made of a claim for foreign priority use a) ☑ All b) ☐ Some* c) ☐ None of the:	• (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1. Certified copies of the priority documents have		
2. Certified copies of the priority documents have		
Copies of the certified copies of the priority do	cuments have been received in thi	s national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a repl MENT of this application.	y complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAMINE es reason(s) why the oath or decla	R'S AMENDMENT or NOTICE OF ration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must	st be submitted.	
(a) ☐ including changes required by the Notice of Draftspers		D-948) attached
1) hereto or 2) to Paper No./Mail Date		•
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGI	. must be submitted. Note the CAL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail D 7. 🛭 Examiner's Amen	dment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stater	nent of Reasons for Allowance
of Biological Material	9.	
	Lay	Vilan

Art Unit: 2833

The application has been amended as follows:

Claims 11-19, nonelected without traverse, have been canceled.

The following is an examiner's statement of reasons for allowance: none of the prior art of record discloses or teaches a solder mass over plural openings along a first face of an article, the solder mass forming at least one rivet head along the second face of the article.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary F. Paumen whose telephone number is 571-272-2013. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley can be reached on 571-272-2800, ext. 33. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/509,200

Jay V. Von

Art Unit: 2833

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 3

gfp